Remington Arms Company, Inc. 870 Remington Drive PO Box 700 Madison, NC 27025-0700 (336) 548-8700 800-243-9700

### REMINGTON

### Arms Company, Inc.

### MODEL 16 AUTOLOADING RIFLE

- Shooting Safety Commandments
- Information
- Instructions for Operation & Care of Rifle
- Components Parts Listing
- Value and Reference Book Listing


NOTE: We are pleased to accommodate your request for the Model 16 Autoloading Rifle information. The following documentation represents all information available on this model from the Remington Arms Co., Inc.

DO NOT MAKE CHANGES OR ALTERATIONS TO ANY PARTS OF A FIREARM. USE ONLY REMINGTON PARTS. NEVER MAKE AN ADJUSTMENT TO THE TRIGGER, OR CHANGE THE SHAPE OR SIZE OF THE SEAR, SEAR NOTCH, OR OTHER PARTS.

### Ten Commandments of Shooting Safety


- Always keep the muzzle pointed in a safe direction.
   Firearms should be unloaded when not in use.
   Don't rely on your gun's "safety".
   Be sure of your target and what is beyond it.
   Use correct ammunition.
   If your gun fails to fire when the trigger is pulled, handle with care!
   Always wear eye and ear protection when shooting.
- 8. Be sure the barrel is clear of obstructions before shooting.
- 9. Do not alter or modify your gun, and have guns serviced regularly.
- 10. Learn the mechanical and handling characteristics of the firearm you are using.

SPECIFICATIONS:—22-inch Remington steel, round barrel, with 16-inch twist; straight grip, American walnut stock fitted with steel rifle butt plate. Magazine holds fifteen cartridges, which with one cartridge in the barrel gives a capacity of 16 shots without reloading. Sights regularly furnished; white metal bead front sight and rear sight with screw adjustment. Light, easy trigger pull. Trigger grooved to prevent finger alipping. Weight, about 5½ with screw adjustment. Light, easy trigger pull. Trigger grooved to prevent finger alipping weight, about 5½ pounds. Length over all, 40½ inches. Length taken down, 22 inches. This rifle cannot be furnished with pistol grip.




SPECIFICATIONS:—Same as No. 16A, except that stock and forearm are of selected imported walnut, neatly checkered.

Special sights adapted to this tife shown on pages 91, 92 and 93.



SPECIFICATIONS:—Same as No. 16C but with higher grade imported walnut stock and forearm, both neatly checkered.

The receiver and trigger guard are finished with a rich scroll, hand engraved.



SPECIFICATIONS:—Same as 16C but with stock and forearm of the finest Circardan walnut, both finished with delicate on the stock and claborate checkering of best quality. Stock is inlaid with gold name plate. Owner's initials engraved on name and claborate checkering of best quality. Stock is inlaid with gold name plate.


"DISCONTINUED NO PARTS AVAILABLE FROM REMINGTON"

## Remington.

Page 79

Model 16 .22 Cal. Autoloading Rifle

# COMPONENT PARTS



# Postunital . man -10 - 14-17

Page 80

### Reminston

Model 16 .22 Cal. Autoloading Rifle

2	n 68 Link	٠.	B 621/ Inner biagamo I une Com-	B 62 Inner Magazine Luce.	B 57 Hainmer Stop run	B 56 Hammer Pm.	B 56 Hammer	B 500 Front Sight	B 490 Fore-end Screw	B 480 Fore-end Plate Screw	Plato	B 46 Fore-end	B 45 Firing Pin Washer		B 43 Firing Pin	B 38 Extractor Spring	B 37 Extractor Side Spring Case	K	B 35 Extractor Pivot Pin	B 34 Extractor	B 33 Escutcheon	B. 32 Ejecter Pin	B 31 Ejector	B 26 Cartridge Stop Spring Ruver	B 25 Cartridge Stop Spring.	_	_		n 20 Cartridge Rocker Pin	Sold Turbide	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	with action cover, evc	201	H 10 Breech Block	B O Barrel Lug	77	B 3 Action Spring Bushing	3 83	B I Action over	URT TO THE REAL PROPERTY OF THE PARTY OF THE	PRICE	COMPONENT	ののではないか
12 140 THEST STATES	1 1	14	143 Trigger	12	_	Take-Down	38	137 Take-Down Plunger	136	135	30	_	128	38	125	124 Sear S	123 Sear	122 Safety Top Plate	121 Safety	Safety		118 Safety, As	B 112 Receiver	48-51 Rear Sight Complete		n so Rear Sight Elevating Screw		5	2	ig Hanore re	89 Operating Handle	.83 Main	B 82 Main Spring Follower		3	13 78 Magazine Follower		Extension	75 Magazine	4 Magazine	PART	NT PARTS	**

#### Firearms Value & Reference Books

NOTE: We do not provide information on firearms' values. You may want to have your firearm appraised by a gunsmith. The following sources may also be helpful. We do not accept responsibility for the goods or services provided by these sources.

### Firearms Value Books

Blue Book of Gun Values
Blue Book Publications
8009 34th Avenue South #175
Minneapolis, MN 55425
800-877-GUNS

Flayderman's Guide to Firearm Values
Gun List
Modern Gun Values
Krause Publications
700 East State Street
Iola, WI 54990-0001
847-573-8530

Gun Trader's Guide Stoeger Publishing Company 5 Mansard Court Wayne, NJ 07470 973-872-9500

### Reference Books

The Remington 700
John Flacy
Brownells, Inc.
200 South Front Street
Montezuma, IA 50171
515-623-5401

Shooter's Bible
Stoeger Publishing Company
5 Mansard Court
Wayne, NJ 07470
973-872-9500

Cartridges of the World Frank C. Barnes Standard Catalog of Firearms Krause Publications 700 East State Street Iola, WI 54990-0001 847-573-8530

Remington, America's Oldest
Gunmanker
Remington Arms Co.
PO Box 700
Madison, NC 27025
Attention: History Book
800-423-8495

general de la companya del companya del companya de la companya de

在1. 14 · 14 · 14 · 14 · 14 · 14

the second of th t at the East West Control of the second and the state of t - r & 6.

18 1 m 1 41,

1 4 6 4 4 5 FM

the sufficiency of the second

., 37

> i de la gla 1749" 31 14

1.

Barton S. t same type of 

\* \* .

 $\label{eq:continuous} A = \{A_{ij}, A_{ij}, A$